



PANEL CHANNEL - WIDE SLOT

Ty-Duct Panel Channel – Wide Slot (6’ Length)



WIDE SLOT- Wide fingers and slots increase rigidity and enable insertion of bundles.

Equipped with a base score line and has an improved flush sidewall and cover style.

Also available in **WHITE & BLACK**, and **INTRINSIC BLUE**. replace “**G**” in part number with **W**, **B**, or **I**

- W** = WHITE
- B** = EBONY
- I** = INTRINSIC BLUE

Size availability of other colors may vary. Feel free to contact us for updated detailed information.

Part #	Width x Height	Color	Cost Ea 6’ Length	Carton Qty
TYD75X1WPG6	.75” x 1”	Gray	Call for Pricing	20
TYD75X15WPG6	x 1.5”	Gray	“	20
TYD75X2WPG6	x 2”	Gray	“	20
TYD1X1WPG6	1” x 1”	Gray	Call for Pricing	20
TYD1X15WPG6	x 1.5”	Gray	“	20
TYD1X2WPG6	x 2”	Gray	“	20
TYD1X3WPG6	x 3”	Gray	“	20
TYD1X4WPG6	x 4”	Gray	“	10
TYD15X15WPG6	1.5” x 1”	Gray	Call for Pricing	20
TYD15X2WPG6	x 1.5”	Gray	“	20
TYD15X15WPG6	x 2”	Gray	“	20
TYD15X2WPG6	x 3”	Gray	“	20
TYD15X4WPG6	x 4”	Gray	“	10
TYD2X1WPG6	2” x 1”	Gray	Call for Pricing	20
TYD2X15WPG6	x 1.5”	Gray	“	20
TYD2X2WPG6	x 2”	Gray	“	20
TYD2X3WPG6	x 3”	Gray	“	10
TYD2X4WPG6	x 4”	Gray	“	10
TYD2X5WPG6	x 5”	Gray	“	10
TYD25X15WPG6	2.5” x 2.5”	Gray	Call for Pricing	20
TYD25X2WPG6	x 3”	Gray	“	10
TYD25X15WPG6	x 4”	Gray	“	10
TYD3X1WPG6	3” x 1”	Gray	Call for Pricing	20
TYD3X2WPG6	x 2”	Gray	“	10
TYD3X3WPG6	x 3”	Gray	“	20
TYD3X4WPG6	x 4”	Gray	“	10
TYD3X5WPG6	x 5”	Gray	“	10
TYD4X15WPG6	4” x 1.5”	Gray	Call for Pricing	10
TYD4X2WPG6	x 2”	Gray	“	10
TYD4X3WPG6	x 3”	Gray	“	10
TYD4X4WPG6	x 4”	Gray	“	5
TYD4X5WPG6	x 5”	Gray	“	5
TYD6X4WPG6	6” x 4”	Gray	Call for Pricing	5

TY-DUCT FEATURES * Constructed of flame-retardant PVC. * Lead-free construction. * Versatile North American and DIN Standard mounting holes enables same duct for multiple applications * V-Shaped slot lead-in enables easier and faster wire insertion. * Rounded edges keep hands and wires free of abrasion. * Dual score lines are designed to yield clean break-offs at the base of the slot and the duct. * Restricted slot design makes sure that wires are held with or without the cover inserted. NOTE: Cover Lids sold separately.



PANEL CHANNEL - NARROW SLOT

Ty-Duct Panel Channel – Narrow Slot (6' Length)



NARROW SLOT- Smaller, tighter number of fingers for more concise harnessing. Finger design restricts wire from slipping along the edge, creates 2 or 3 levels of wire service.

Equipped with a base score line and has an improved flush sidewall and cover style.

Also available in **WHITE & BLACK**, and **INTRINSIC BLUE**. replace “**G**” in part number with **W**, **B**, or **I**

- W** = **WHITE**
- B** = **EBONY**
- I** = **INTRINIC BLUE**

Size availability of other colors may vary. Feel free to contact us for updated detailed information.

<u>Part #</u>	<u>Width x Height</u>	<u>Color</u>	<u>Cost Ea 6' Length</u>	<u>Carton Qty</u>
TYD75X15NPG6	.75" x 1.5"	Gray	Call for Pricing	20
TYD1X1NPG6	1" x 1"	Gray	Call for Pricing	20
TYD1X15NPG6	x 1.5"	Gray	"	20
TYD1X2NPG6	x 2"	Gray	"	20
TYD1X3NPG6	x 3"	Gray	"	20
TYD1X4NPG6	x 4"	Gray	"	10
TYD15X1NPG6	1.5" x 1"	Gray	Call for Pricing	20
TYD15X15NPG6	x 1.5"	Gray	"	20
TYD15X2NPG6	x 2"	Gray	"	20
TYD15X3NPG6	x 3"	Gray	"	20
TYD15X4NPG6	x 4"	Gray	"	10
TYD2X1NPG6	2" x 1"	Gray	Call for Pricing	20
TYD2X15NPG6	x 1.5"	Gray	"	20
TYD2X2NPG6	x 2"	Gray	"	20
TYD2X3NPG6	x 3"	Gray	"	10
TYD2X4NPG6	x 4"	Gray	"	10
TYD2X5NPG6	x 5"	Gray	"	20
TYD25X2NPG6	2.5" x 2"	Gray	Call for Pricing	20
TYD25X3NPG6	x 3"	Gray	"	20
TYD25X4SPG6	x 4"	Gray	"	10
TYD3X1NPG6	3" x 1"	Gray	Call for Pricing	20
TYD3X2NPG6	x 2"	Gray	"	10
TYD3X3NPG6	x 3"	Gray	"	10
TYD3X4NPG6	x 4"	Gray	"	10
TYD3X5NPG6	x 5"	Gray	"	20
TYD4X2NPG6	4" x 2"	Gray	Call for Pricing	10
TYD4X3NPG6	x 3"	Gray	"	10
TYD4X4NPG6	x 4"	Gray	"	5
TYD4X5NPG6	x 5"	Gray	"	20

TY-DUCT FEATURES * Constructed of flame-retardant PVC. * Lead-free construction. * Versatile North American and DIN Standard mounting holes enables same duct for multiple applications * V-Shaped slot lead-in enables easier and faster wire insertion. * Rounded edges keep hands and wires free of abrasion. * Dual score lines are designed to yield clean break-offs at the base of the slot and the duct. * Restricted slot design makes sure that wires are held with or without the cover inserted. NOTE: Cover Lids sold separately.



PANEL CHANNEL – SOLID WALL

Ty-Duct Panel Channel – Solid Wall (6' Length)



SOLID WALL- Engineered to restrict wire access. Equipped with a new and improved flush sidewall and cover style.

Also available in **WHITE & BLACK**, and **INTRINSIC BLUE**. replace “**G**” in part number with **W, B, or I**

- W** = WHITE
- B** = EBONY
- I** = INTRINSIC BLUE

Size availability of other colors may vary. Feel free to contact us for updated detailed information.

<u>Part #</u>	<u>Width x Height</u>	<u>Color</u>	<u>Cost Ea 6' Length</u>	<u>Carton Qty</u>
TYD75X1SPG6	.75" x 1"	Gray	Call for Pricing	20
TYD75X15SPG6	x 1.5"	Gray	"	20
TYD75X2SPG6	x 2"	Gray	"	20
TYD1X1SPG6	1" x 1"	Gray	Call for Pricing	20
TYD1X15SPG6	x 1.5"	Gray	"	20
TYD1X2SPG6	x 2"	Gray	"	20
TYD1X3SPG6	x 3"	Gray	"	20
TYD1X4SPG6	x 4"	Gray	"	10
TYD15X15SPG6	1.5" x 1"	Gray	Call for Pricing	20
TYD15X2SPG6	x 1.5"	Gray	"	20
TYD15X15SPG6	x 2"	Gray	"	20
TYD15X2SPG6	x 3"	Gray	"	20
TYD15X4SPG6	x 4"	Gray	"	10
TYD2X1SPG6	2" x 1"	Gray	Call for Pricing	20
TYD2X15SPG6	x 1.5"	Gray	"	20
TYD2X2SPG6	x 2"	Gray	"	20
TYD2X3SPG6	x 3"	Gray	"	10
TYD2X4SPG6	x 4"	Gray	"	10
TYD2X5SPG6	x 5"	Gray	"	20
TYD25X15SPG6	2.5" x 2.5"	Gray	Call for Pricing	20
TYD25X2SPG6	x 3"	Gray	"	20
TYD25X15SPG6	x 4"	Gray	"	10
TYD3X1SPG6	3" x 1"	Gray	Call for Pricing	20
TYD3X2SPG6	x 2"	Gray	"	10
TYD3X3SPG6	x 3"	Gray	"	10
TYD3X4SPG6	x 4"	Gray	"	10
TYD3X5SPG6	x 5"	Gray	"	20
TYD4X15SPG6	4" x 1.5"	Gray	Call for Pricing	10
TYD4X2SPG6	x 2"	Gray	"	10
TYD4X3SPG6	x 3"	Gray	"	10
TYD4X4SPG6	x 4"	Gray	"	5
TYD4X5SPG6	x 5"	Gray	"	20
TYD6X4SPG6	6" x 4"	Gray	Call for Pricing	5

TY-DUCT FEATURES * Constructed of flame-retardant PVC. * Lead-free construction. * Versatile North American and DIN Standard mounting holes enables same duct for multiple applications * V-Shaped slot lead-in enables easier and faster wire insertion. * Rounded edges keep hands and wires free of abrasion. * Dual score lines are designed to yield clean break-offs at the base of the slot and the duct. * Restricted slot design makes sure that wires are held with or without the cover inserted. NOTE: Cover Lids sold separately.


Service Warehouse

Ty-Duct Cover Lids



PANEL CHANNEL – COVER LIDS

Ty-Duct Cover – (6' Length)



Also available in **WHITE & BLACK**, and **INTRINSIC BLUE**. replace “**G**” in part number with **W, B, or I**

- W** = **WHITE**
- B** = **EBONY**
- I** = **INTRINSIC BLUE**

Size availability of other colors may vary. Feel free to contact us for updated detailed information.

<u>Part #</u>	<u>Width x Height</u>	<u>Color</u>	<u>Cost Ea 6' Length</u>	<u>Carton Qty</u>
TYD75CPG6	.75”	Gray	<i>Call for Pricing</i>	20
TYD1CPG6	1”	Gray	”	10
TYD15CPG6	1.5”	Gray	”	10
TYD2CPG6	2”	Gray	”	10
TYD25CPG6	2.5”	Gray	“	10
TYD3CPG6	3”	Gray	“	10
TYD4CPG6	4”	Gray	“	5
TYD6CPG6	6”	Gray	“	20

NOTE: Covers are sold separately and must be ordered along with Ty-Duct Channel, Ground freight paid by The Service Warehouse. Many of the channel carton sizes may vary from the corresponding cover lids. Make note of this when matching up quantities of cover lids with the channel.

TY-DUCT COVER LID FEATURES * Constructed of flame-retardant PVC. * Lead-free construction. * Non-slip cover does not slide easily and resists vibration. Flush cover attaches flush with sidewall for finished look.
 NOTE: This cover fits **WIDE SLOT, NARROW SLOT, and SOLID WALL Ty-Duct**

NOTE: This product line is sold and shipped in full carton quantities only. Orders will be ship from either TN, MS, or NY. Ground freight paid by The Service Warehouse on all minimum shipments to anywhere in the continental United States.